9800048

THE UNITED STATES OF AMERICA

Hirginin Tech Intellectual Properties, Inc.

HILLIAS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, IR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN DUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT! VARIETY SECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A BETTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF

SOYBEAN

'Accomac'

In Vestimoun Mercest, I have hereunto set my hand and caused the seal of the Mint Interior Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of January, in the year of our Loyd two thousand.

Allosti

No.

An navie We

Commissioner Plant Variety Protection Office Agricultural Marketing Service Agriculture

OFFICE .	· 1974 (5 U.S.C. 552a).			
AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION OFFICE				
APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE				
(Instructions and information collection burden statement on reverse) 1. NAME OF APPLICANTIST (as it is to access on the Confident).				
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)				
Virginia Agricultural Experiment Station				
		Accomac		
ountry)	5. TELEPHONE (include area code)	FOR OFFICIAL U		
RESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) Ollege of Ag. and Life Sciences irginia Polytechnic Institute & State Univ.		PVPO NUMBER		
tate Univ.	(540) 231–6336	Conne		
		<u> </u>		
	6. FAX (include area code)	DATE		
	(5/0) 221_/162	i 1		
	(340) 231-4163	n 24 Decembe		
8. FAMILY NAME (Botan	nical)	FIUNG AND EXAMINAT		
Legiminosea	a	F .		
		E DATE		
	Y	5		
	· · · · · · · · · · · · · · · · · · ·	R E		
	hip, association, etc.! (Common name)	CERTIFICATION FEE		
tation		11 207		
	12. DATE OF INCORPORATION	E DATE		
	1	111111111111111111111111111111111111111		
instructions on reversel				
instructions on reverse)				
instructions on reversel				
instructions on reversel				
instructions on reverse!				
and the second of the second o	issue culture will be deposited and maintain	ed in a public repository)		
and the second of the second o		ed in a public repository)		
ted varieties verification that ti the United States" (Mail to PV	(PO) A CLASS OF CERTIFIED SEED? (See Section	•		
ted varieties verification that the thing of the United States" (Mail to PV Y VARIETY NAME ONLY, AS I NO III "no," go	(PO) A CLASS OF CERTIFIED SEED? (See Section	on 83(a) of the Plant Variety Pro		
ted varieties verification that ti the United States* (Mail to PV Y VARIETY NAME ONLY, AS A ☐ NO 8f *no,* go	(PO) A CLASS OF CERTIFIED SEED? (See Section to item 20)	on 83(a) of the Plant Variety Pro		
ted varieties verification that the United States* (Mail to PV V VARIETY NAME ONLY, AS A NO #1 "no," go	(PO) A CLASS OF CERTIFIED SEED? (See Section to item 20) IF "YES" TO ITEM 18, WHICH CLASSES To FOUNDATION	ON 83(a) of the Plant Variety Pro OF PRODUCTION BEYOND BR		
ted varieties verification that the United States* (Mail to PV V VARIETY NAME ONLY, AS A NO #1 "no," go	(PO) A CLASS OF CERTIFIED SEED? (See Section to item 20) IF "YES" TO ITEM 18, WHICH CLASSES	ON 83(a) of the Plant Variety Pro OF PRODUCTION BEYOND BR		
ted varieties verification that the United States" (Mail to PV Y VARIETY NAME ONLY, AS A NO #1 "no," go O AS TO NUMBER OF 19. ELEASED, USED, OFFERED FO	(PO) A CLASS OF CERTIFIED SEED? (See Section to item 20) IF "YES" TO ITEM 18, WHICH CLASSES To FOUNDATION	ON 83(a) of the Plant Variety Pro OF PRODUCTION BEYOND BR		
	8. FAMILY NAME (Bota) Leguminoseac	(540) 231–6336 6. FAX [include area code] (540) 231–4163 8. FAMILY NAME (Botanical) Leguminoseae CATION (corporation, partnership, association, etc.) (Common name) (2410) 231–4163		

Exhibit A

Origin and Breeding History of Accomac

Accomac originated from a single F_5 plant from the cross of D77-6056 x LS79-330. Both parents had resistance to Race 3 of soybean cyst nematode (SCN) and the rootknot nematodes, Meloidogyne arenaria and M. incognita. The cross was advanced to the F_4 generation as a bulk population with no selection. The F_5 generation was planted in 1987 at the Tidewater AREC, Suffolk, VA, in a field infested with SCN. Fifty-nine plants that appeared to be resistant were selected and threshed individually. A progeny row from each plant was planted at the Eastern Virginia AREC, Warsaw, VA, in 1988 and further selection was practiced based on visual phenotype. Accomac was one of the selected lines. It was evaluated as V88-1234 in local breeding line tests from 1989 through 1991 and in the Southern Regional Cooperative Soybean tests from 1992 through 1994.

In order to produce pure stock seed, 42 plants of V88-1234 were harvested individually in 1992 and seeds from each plant were planted in single rows in 1993. One row was discarded as being atypical, and the remainder were harvested and composited. This seed was planted at the Eastern Virginia AREC in 1995 and approximately seven bushels were harvested and designated as Breeder Seed. The first Foundation Seed was produced in 1996.

A very low percentage of plants with gray pubescence and brown hilum was observed in early increases of Accomac, but these have largely been removed by roguing. The incidence of such plants is now less than 0.1%. No other variants have been observed.

Exhibit B

Statement of Distinctness

Seven

A search of the PVP soybean database revealed eight cultivars that have purple flower color, tawny pubescence color, tan pod color, maturity group V, and are resistant to race 3 of soybean cyst nematode. Three of these (A5939, RA-502 and S59-60) can be distinguished from Accomac because they are also resistant to race 4 of SCN while Accomac is susceptible. Four of the remainder (6925, Coker 485, Hartz 5252 and Terral TV5495) all have spherical-flattened seeds while Accomac has spherical seeds. The only remaining similar cultivar is Dyer, for which some information is missing. Since Dyer is an old cultivar which is not apparently grown anymore, side by side comparison data are not available. However, its 15 gram/100 seed size should be distinguishable from the 14 gram/100 seed size of Accomac. Also, by indirect comparison, it appears that Accomac would be significantly taller than Dyer. In the 1966 and 1967 Southern Regional Cooperative Uniform Test V, Dyer was one to two inches shorter than York. In the 1995 and 1996 Virginia State Variety tests, Accomac was two inches taller than York in both years. Using York as the link between the two sets of data, it would appear that Accomac would be three to four inches taller than Dyer.

Zwk 15 July 1998 U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVES FOCK, MEAT, GRAIN FORT BIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

<u></u>		time to the second seco
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Virginia Agricultural Expt. Station	V88-1234	Accomac
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip C College of Agriculture and Life Science Virginia Tech Blacksburg, VA 24061	Code)	FOR OFFICIAL USE ONLY PVPO NUMBER
		980 004 8
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide Starred characters * are considered fundamental to an adwhen information is available. 1. SEED SHAPE:	ed, place a zero in the first box we equate soybean variety description	hen number is 9 or less (e.g. 0 9)
		L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown		Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	egine i de la companya	A. M.
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Neb	The state of the s	ing and the second seco
4. SEED SIZE: (Mature Seed)	·	
Grams per 100 seeds	and the second of the second o	And the second of the second o
5. HILUM COLOR: (Mature Seed)		
1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Blac	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green	The conjugate for the second	
7. SEED PROTEIN PEROXIDASE ACTIVITY: 1 = Low 2 = High		A STATE OF THE STA
8. SEED PROTEIN ELECTROPHORETIC BAND:	· · · · - · - · · · · ·	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		and the state of t
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	th bronze band below cotyledons ("W "Coker Hampton 266A")	oodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete.)

11. LEAFLET SIZE:	
III ELNI LLI OICL.	Control of the Contro
1 = Small ('Amsoy 71'; 'A5312 3 = Large ('Crawford'; 'Tracy')	2') 2 = Medium ('Corsoy 79'; 'Gasoy 17')
12. LEAF COLOR:	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
1 = Light Green ('Weber'; 'York 3 = Dark Green ('Gnome'; 'Trac	k') 2 = Medium Green ('Corsoy 79'; 'Braxton') cy')
13. FLOWER COLOR:	
2 = Purp	ple 3 = White with purple throat
14. POD COLOR: 1 = Tan 2 = Brown	3 = Black
15. PLANT PUBESCENCE COLOR:	
ス 1 = Gray 2 = Brown (
16. PLANT TYPES:	and the second s
1 = Slender ('Essex'; 'Amsoy 71' 3 = Bushy ('Gnome'; 'Govan') 17. PLANT HABIT:	') 2 = Intermediate ('Amcor'; 'Braxton')
1 = Determinate ('Gnome'; 'Brax 3 = Indeterminate ('Nebsoy'; 'Im	kton') 2 = Semi-Determinate ('Will') hproved Pelican')
08 1=000 2=00 9=VI 10=VII	3=0 4=1 5=H 6=HI 7=4V 8=V
9 = VI 10 = VII	11 = VIII 12 = IX 13 = X
9 = VI 10 = VII	11 = VIII 12 = IX 13 = X
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES:	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p) Bacterial Blight (Pseudomonas gly Wildfire (Pseudomonas tabaci)	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas ply Bacterial Blight (Pseudomonas tabaci) FUNGAL DISEASES:	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p) Bacterial Blight (Pseudomonas gly Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: Brown Spot (Septoria glycines)	11 = VIII 12 = IX 13 = X ested: 1 = Susceptible: 2 = Resistant) phaseoli var. sojensis) ycinea)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas ply Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora soj	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis) ycinea)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p) Bacterial Blight (Pseudomonas tabaci) FUNGAL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora so) Race 1 Race 2	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis) ycinea) Race 3 Race 4 Race 5 Other (Specify)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p) Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora so) Race 1 Race 2 Target Spot (Corynespora cassiicol)	11 = VIII 12 = IX 13 = X ested; 1 = Susceptible; 2 = Resistant} phaseoli var. sojensis) ycinea) Race 3 Race 4 Race 5 Other (Specify)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p) Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora so) Race 1 Race 2 Downy Mildew (Peronospora trifo)	ested; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis) ycinea) Race 3 Race 4 Race 5 Other (Specify) liorum var. manshurica)
9 = VI 10 = VII 19. DISEASE REACTION: (Enter 0 = Not Te BACTERIAL DISEASES: Bacterial Pustule (Xanthomonas p) Bacterial Blight (Pseudomonas gly Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora so) Race 1 Race 2 Target Spot (Corynespora cassiicol)	ssted; 1 = Susceptible; 2 = Resistant) phaseoli var. sojensis) ycinea) Race 3 Race 4 Race 5 Other (Specify) florum var. manshurica)

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptib	re; 2 = riesistant) (Continued)	anger (Armere, or entre Anglit et de l' Grand anna Anglitana ()
FUNGAL DISEASES: (Continued)		9800048
Pod and Stem Blight (Diaporthe phaseolorum var; so	jae)	Harasa Sukasi AW
Purple Seed Stain (Cercospora kikuchii)		
Rhizoctonia Root Rot (Rhizoctonia solani)		
Phytophthora Rot (Phytophthora megasperma var. so	ojae)	
Race 1 Race 2 Race 3	Race 4 Race 5	Race 6 Race 7
Race 8 Race 9 Other (Speci		हा व र्षित होते. पित्रेच हिंदे सुरक्षित व विकास ने राजने है है ।
VIRAL DISEASES:	্রতি । বিভাগের প্রতিত নির্মিষ্ট করি নির্মিষ্ট বিশ্বস্থিত করি নির্মিষ্ট বিশ্বস্থার করি করে । বিশ্বস্থান	
Rud Blight /Tohogo Biograph Minus	in the second of	•
Yellow Mosaic (Bean Yellow Mosaic Virus)	ond the property of the contract of the contra	· · · · · · · · · · · · · · · · · · ·
Cowpea Mosaic (Cowpea Chlorotic Virus)	。。 The Linguist Article Control of the Control of	and the second of the second o
		· · · · · · · · · · · · · · · · · · ·
Pod Mottle (Bean Pod Mottle Virus)		
Seed Mottle (Soybean Mosaic Virus)		
NEMATODE DISEASES:		i i
Soybean Cyst Nematode (Heterodera glycines)		
Race 1 Race 2 A Race 3	/ Race 4 Other (Sp.	ecify)
Lance Nematode (Hoplolaimus Colombus)		
Southern Root Knot Nematode (Meloidogyne incognita)	
Northern Root Knot Nematode (Meloidogyne Hapla)		
Peanut Root Knot Nematode (Meloidogyne arenaria)		
Reniform Nematode (Rotylenchulus reniformis)		
OTHER DISEASE NOT ON FORM (Specify):		
PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Sus	ceptible; 2 = Resistant)	
Iron Chlorosis on Calcareous Soil		
Other (Specify)		
INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant	
Mexican Bean Beetle (Epilachna varivestis)	the same of the sa	•
Potato Leaf Hopper (Empoasca fabae)	•	•
Other (Specify)		
INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES TH	AT SUBMITTED.	
CHARACTER NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Seed Coat Luster	
Leaf Shape	Seed Size	
Leaf Color Leaf Size	Seed Shape	
-ai 0126	Seedling Pigmentation	· · · · · · · · · · · · · · · · · · ·

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE	HEIGHT	CM Width ·	CM Length	% Protein	% Oil	SEEDS	POD
Submitted						1 - 1 - N-	om o omeli		
Name of Similar Variety					- 1 - 1 N 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	.~.			

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

-a. 10: 80 000 15

ndad direvisi

Exhibit E

Statement of the Basis of Applicant's Ownership

Accomac was originated and developed by Glenn R. Buss, an employee of Virginia Polytechnic Institute and State University. By agreement between employee and Virginia Polytechnic Institute and State University, all rights to any invention, discovery, or development made by an employee are assigned to Virginia Polytechnic Institute and State University. No rights to such invention, discovery, or development are retained by the employee.

